

## Prof.Dr. MUSTAFA ÇETİN

### Kişisel Bilgiler

**Fax Telefonu:** [+90 464 212 3009](tel:+904642123009)

**E-posta:** mustafa.cetin@erdogan.edu.tr

**Diğer E-posta:** DR.MUSTAFACETIN@HOTMAIL.COM

**Web:** <https://avesis.erdogan.edu.tr/mustafa.cetin>

### Uluslararası Araştırmacı ID'leri

ScholarID: VUtYYcAAAAJ

ORCID: 0000-0001-6342-436X

Publons / Web Of Science ResearcherID: A-2919-2016

ScopusID: 7101936231

Yoksis Araştırmacı ID: 216901

### Eğitim Bilgileri

Tıpta Uzmanlık, Dr. Siyami Ersek G.K.D.C. Merkezi , Dr. Siyami Ersek G.K.D.C. Merkezi Kardiyoloji, Kardiyoloji, Türkiye  
2003 - 2008

Lisans, İstanbul Üniversitesi, İstanbul Tıp Fakültesi, Türkiye 1997 - 2003

### Yabancı Diller

İngilizce, B1 Orta

### Sertifika, Kurs ve Eğitimler

Sağlık ve Tıp, Perkütan mitral kapak tamiri, Abbott, 2014

### Yaptığı Tezler

Tıpta Uzmanlık, Mitral valv prolapsusu ve anjiyotensin dönüştürücü enzim gen polimorfizmi (I/d) ilişkisi., Dr. Siyami Ersek G.K.D.C Merkezi, Dr. Siyami Ersek G.K.D.C Merkezi Kardiyoloji Bölümü, Kardiyoloji, 2008

### Araştırma Alanları

Tıp, Sağlık Bilimleri, Dahili Tıp Bilimleri, Kardiyoloji

### Akademik Unvanlar / Görevler

Prof.Dr., Recep Tayyip Erdoğan Üniversitesi, Tıp Fakültesi, Dahili Tıp Bilimleri Bölümü, 2019 - Devam Ediyor

Doç.Dr., Recep Tayyip Erdoğan Üniversitesi, Tıp Fakültesi, Dahili Tıp Bilimleri Bölümü, 2014 - 2019

## Akademik İdari Deneyim

Anabilim/Bilim Dalı Başkanı, Recep Tayyip Erdoğan Üniversitesi, Tıp Fakültesi, Dahili Tıp Bilimleri Bölümü, 2024 - Devam Ediyor

## Verdiği Dersler

NORMAL EKG, Lisans, 2020 - 2021

## Yönetilen Tezler

ÇETİN M., Gastroözofagial reflü hastalığının özofajit veya gastrit ile olan birlikteliğinin supraventriküler ve ventriküler prematür kontraksiyon ile ilişkisi, Tıpta Uzmanlık, O.Bodur(Öğrenci), 2019

## Jüri Üyelikleri

Doktora Tez İzleme Komitesi (TİK) Üyeliği, Doktora Tez İzleme Komitesi (TİK) Üyeliği, Recep Tayyip Erdoğan Üniversitesi, Ocak, 2019

Doktora Tez İzleme Komitesi (TİK) Üyeliği, Doktora Tez İzleme Komitesi (TİK) Üyeliği, Recep Tayyip Erdoğan Üniversitesi, Ocak, 2018

## SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. **Presystolic wave as a predictor of interatrial block in patients with supraventricular tachycardia**  
DURAK H., ÇETİN M., EMLEK N., ERGÜL E., ÖZYILDIZ A. G., YILMAZ A. S., DUMAN H., KOÇ H., ÖĞÜTVEREN M. M., ÖZSİPAHİ A.  
Heart and Vessels, cilt.39, sa.3, ss.226-231, 2024 (SCI-Expanded)
- II. **The predictive value of PRECISE-DAPT score for long-term mortality in patients with acute coronary syndrome complicated by cardiogenic shock** **Prädiktiver Wert des PRECISE-DAPT-Scores für die Langzeitmortalität bei Patienten mit akutem Koronarsyndrom und kardiogenem Schock als Komplikation**  
Akyuz S., Calik A. N., Onuk T., Yaylak B., Kolak Z., Eren S., Mollaalioglu F., Durak F., ÇETİN M., Tanboga I. H.  
Herz, 2024 (SCI-Expanded)
- III. **FIB-4 liver fibrosis index correlates with aortic valve sclerosis in non-alcoholic population**  
DURAK H., ÇETİN M., EMLEK N., ERGÜL E., ÖZYILDIZ A. G., Öztürk M., DUMAN H., YILMAZ A. S., ŞATIROĞLU Ö.  
Echocardiography, cilt.41, sa.1, 2024 (SCI-Expanded)
- IV. **Comparison of Ticagrelor and Clopidogrel in Patients with Acute Coronary Syndrome at High Bleeding or Ischemic Risk.**  
Akyuz S., Calik A. N., Yaylak B., Onuk T., Eren S., Kolak Z., Mollaalioglu F., Durak F., Cetin M., Tanboga I. H.  
The American journal of cardiology, 2023 (SCI-Expanded)
- V. **The relation of polymer structure of stent used in patients with acute coronary syndrome revascularized by stent implantation with long-term cardiovascular events.**  
Yaylak B., Polat F., Onuk T., Akyüz Ş., Çalık A. N., Çetin M., Eren S., Mollaalioglu F., Kolak Z., Durak F., et al.  
Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions, 2023 (SCI-Expanded)
- VI. **Non-alcoholic fatty liver disease and liver fibrosis score have an independent relationship with the presence of mitral annular calcification**  
ERGÜL E., EMLEK N., YILMAZ A. S., ÖZTÜRK M., Aydın C., DURAK H., ÇETİN M.  
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, cilt.39, sa.8, ss.1431-1436, 2023 (SCI-Expanded)

- VII. **The relationship between serum osteoprotegerin levels and right atrial and ventricular speckle-tracking measurements in essential hypertension patients with normal left ventricular systolic function.**  
Emre E., Kalaycıoğlu E., Özderya A., Yerlikaya M. G., Turan T., Hancı K., Gökdeniz T., Çetin M.  
Cardiovascular journal of Africa, cilt.34, ss.1-6, 2023 (SCI-Expanded)
- VIII. **Blood urea nitrogen to left ventricular ejection fraction ratio is associated with long-term mortality in the stable angina pectoris patients**  
Özyıldız A. G., Kalaycıoğlu E., Özyıldız A., Turan T., ÇETİN M.  
European Review for Medical and Pharmacological Sciences, cilt.26, sa.24, ss.9250-9257, 2022 (SCI-Expanded)
- IX. **FRAGMENTED QRS PREDICTED MAJOR ADVERSE CARDIOVASCULAR EVENTS IN PATIENTS WITH CORONARY ARTERY DISEASE AND PERCUTANEOUS CORONARY INTERVENTION, 10-YEARS OF FOLLOW-UP**  
Yılmaz A. S., Şatıroğlu Ö., Çetin M.  
KARDIOLOGIYA, cilt.62, sa.1, ss.72-79, 2022 (SCI-Expanded)
- X. **COVID 19 disease independently predicted endothelial dysfunction measured by flow-mediated dilatation.**  
ERGÜL E., YILMAZ A. S., Oğutveren M. M., EMLEK N., KOSTAKOĞLU U., ÇETİN M.  
The international journal of cardiovascular imaging, cilt.38, sa.1, ss.25-32, 2022 (SCI-Expanded)
- XI. **FEV1 is independently related with impaired left atrial strain in chronic obstructive pulmonary disease patients: A speckle tracking study**  
Kalaycıoğlu E., ÇETİN M., Kiriş T., Özyıldız A. G., Turan T., YILMAZ A. S.  
CLINICAL RESPIRATORY JOURNAL, cilt.15, sa.12, ss.1359-1367, 2021 (SCI-Expanded)
- XII. **Impaired left atrial mechanical functions as indicators for increased aortic root diameter in hypertensive and diabetic patients Beeinträchtigte mechanische Funktionen des linken Vorhofs als Indikatoren für einen erhöhten Aortenwurzeldurchmesser bei hypertensiven und diabetischen Patienten**  
Kalaycıoğlu E., Çetin M., Özyıldız A. G., Kiriş T.  
Herz, cilt.46, ss.272-279, 2021 (SCI-Expanded)
- XIII. **Paradoxical association between lipoprotein cholesterol levels and left atrial function in hypertensive diabetic patients: A speckle tracking study**  
Kalaycıoğlu E., ÇETİN M., Kiriş T., Özyıldız A. G.  
JOURNAL OF CLINICAL ULTRASOUND, cilt.49, sa.7, ss.667-673, 2021 (SCI-Expanded)
- XIV. **Left atrial volume index and pulmonary arterial pressure predicted MACE among patients with STEMI during 8-year follow-up: experience from a tertiary center**  
Cetin M., Ozer S., Cinier G., Yilmaz A. S., Erdogan T., Satiroglu Ö.  
HERZ, cilt.46, sa.4, ss.367-374, 2021 (SCI-Expanded)
- XV. **Serum osteoprotegerin level is independently related to subclinical left atrial mechanical function in patients with hypertension and diabetes**  
Kalaycıoğlu E., Cetin M., Cinier G., Kiriş T., Gokdeniz T., Özyıldız A. G., Durmus I.  
HERZ, cilt.46, sa.3, ss.277-284, 2021 (SCI-Expanded)
- XVI. **Is Adiponectin Elevation Associated with Left Atrial Remodeling and Impaired Mechanical Functions? (a Speckle Tracking Study).**  
Kalaycıoğlu E., Çetin M., Özyıldız A. G., Kiriş T., Turan T.  
Kardiologiya, cilt.61, sa.5, ss.65-70, 2021 (SCI-Expanded)
- XVII. **Prognostic nutritional index is related to myocardial performance index in newly diagnosed nondiabetic hypertensive patients.**  
YILMAZ A. S., ERGÜL E., Cirakoglu O. F., EMLEK N., ÇETİN M.  
Clinical and experimental hypertension (New York, N.Y. : 1993), cilt.43, sa.4, ss.378-383, 2021 (SCI-Expanded)
- XVIII. **Assessment of cardio-ankle vascular index in patients with abdominal aortic aneurysm: An observational study**  
Aykan A. C., ÇETİN M., Kalaycıoğlu E., Mentese U.

VASCULAR, cilt.29, sa.2, ss.190-195, 2021 (SCI-Expanded)

- XIX. Epicardial adipose tissue predicted prolonged QTc interval in patients with arterial hypertension.**  
Yılmaz A., Çinier G., Çırakoğlu Ö., Çetin M.  
Clinical and experimental hypertension (New York, N.Y. : 1993), cilt.43, ss.230-236, 2021 (SCI-Expanded)
- XX. Epicardial adipose tissue is associated with increased systolic pulmonary artery pressure in patients with chronic obstructive pulmonary disease**  
Kalaycıoğlu E., Çetin M., Çinier G., Özyıldız A. G., Durmuş İ., Kırış T., Gökdeniz T.  
Clinical Respiratory Journal, cilt.15, sa.4, ss.406-412, 2021 (SCI-Expanded)
- XXI. Exercise-Based Cardiac Rehabilitation Has a Strong Relationship with Mean Platelet Volume Reduction.**  
Durmuş I., Kalaycıoğlu E., ÇETİN M., Sahin H. B., Kiris T.  
Arquivos brasileiros de cardiologia, cilt.116, sa.3, ss.434-440, 2021 (SCI-Expanded)
- XXII. BLOOD UREA NITROGEN IS ASSOCIATED WITH LONG-TERM ALL-CAUSE MORTALITY IN STABLE ANGINA PECTORIS PATIENTS: 8-YEAR FOLLOW-UP RESULTS**  
ÇETİN M., ERDOĞAN T., Ozyildiz A. G., Ozer S., Ayhan A. C., Kiris T.  
KARDIOLOGIYA, cilt.61, sa.3, ss.66-70, 2021 (SCI-Expanded)
- XXIII. Predictive value of fibrinogen-to-albumin ratio in acute coronary syndrome Prädiktiver Wert des Fibrinogen-Albumin-Quotienten beim akuten Koronarsyndrom**  
ÇETİN M., ERDOĞAN T., Kırış T., OZER S., YILMAZ A., DURAK H., Aykan A., SATIROĞLU Ö.  
Herz, cilt.45, ss.145-151, 2020 (SCI-Expanded)
- XXIV. Mitral annular calcification predicted major cardiovascular events in patients presented with acute coronary syndrome and underwent percutaneous coronary intervention**  
Cetin M., DUMAN H., OZER S., KIRIS T., ÇİNİER G., Usta E., SATILMIS S., ERDOĞAN T.  
ACTA CARDIOLOGICA, cilt.75, sa.8, ss.767-773, 2020 (SCI-Expanded)
- XXV. An echocardiographic predictor of contrast-induced nephropathy following percutaneous coronary intervention in acute coronary syndrome: aortic valve sclerosis**  
Durak H., ERDOĞAN T., CETIN M., KOCAMAN S. A., DURAKOĞLUGİL M. E., DUMAN H., ERGUL E., SATIROĞLU O.  
SCANDINAVIAN CARDIOVASCULAR JOURNAL, cilt.54, sa.4, ss.227-231, 2020 (SCI-Expanded)
- XXVI. Increased epicardial fat tissue thickness predicts advanced interatrial block among hypertensive patients.**  
ÇİNİER G., Yılmaz A. S., TEKKESİN A., Çetin M.  
Journal of electrocardiology, cilt.61, ss.18-22, 2020 (SCI-Expanded)
- XXVII. Elevated serum YKL40 level is a predictor of MACE during the long-term follow up in hypertensive patients**  
ÇETİN M., ERDOĞAN T., KIRIS T., OEZER S., CINIER G., EMLEK N., DURAK H., Satiroglu Ö.  
CLINICAL AND EXPERIMENTAL HYPERTENSION, cilt.42, sa.3, ss.271-274, 2020 (SCI-Expanded)
- XXVIII. Endothelial dysfunction predicted increased left atrial volume index in newly diagnosed nondiabetic hypertensive patients.**  
Çetin M., Erdoğan T., Kırış T., AYKAN A., ÇİNİER G., Emlek N., Durak H., KALAYCIOĞLU E., Yılmaz A. S.  
Blood pressure monitoring, cilt.25, ss.75-81, 2020 (SCI-Expanded)
- XXIX. Endothelial dysfunction, subclinical atherosclerosis and LDL cholesterol are the independent predictors of left atrial functions in hypertension**  
Cetin M., ERDOĞAN T., KIRIS T., OZYILDIZ A. G., ERGUL E., DURAKOĞLUGİL E., Durak H., KALAYCIOĞLU E., CICEK Y.  
INTERNATIONAL JOURNAL OF CARDIOVASCULAR IMAGING, cilt.36, sa.1, ss.69-77, 2020 (SCI-Expanded)
- XXX. The role of serum interleukin-37 levels, inflammation and blood pressure in patients with preeclampsia**  
Satiroglu O., Gürlek B., Durakoglugil M. E., Duman H., Erdogan T., Çetin M., Ergül M., Yılmaz A., Uydu H. A.  
CLINICAL AND EXPERIMENTAL HYPERTENSION, cilt.42, sa.7, ss.669-674, 2020 (SCI-Expanded)
- XXXI. Left ventricular hypertrophy is associated with increased sirtuin level in newly diagnosed hypertensive patients**  
DUMAN H., BAHÇECİ İ., ÇİNİER G., DUMAN H., BAKIRCI E. M., ÇETİN M.

CLINICAL AND EXPERIMENTAL HYPERTENSION, cilt.41, sa.6, ss.511-515, 2019 (SCI-Expanded)

- XXXII. **The effect of bilirubin on long-term mortality in patients with chronic total coronary occlusion**  
CETIN M., Durakoglulil M. E., ERDOGAN T., OZER S., TURAN O. E., YILMAZ A. S., AKDOGAN E.  
BRATISLAVA MEDICAL JOURNAL-BRATISLAVSKE LEKARSKE LISTY, cilt.120, sa.11, ss.860-863, 2019 (SCI-Expanded)
- XXXIII. **The relationship between total atrial conduction time and left atrial global strain in patients with psoriasis vulgaris**  
DUMAN H., DILEK N., DEMIRELLI S., INCİ S., DUMAN H., Çetin M., Durakoglulil M. E.  
ARCHIVES OF MEDICAL SCIENCE, cilt.15, sa.4, ss.865-871, 2019 (SCI-Expanded)
- XXXIV. **Epicardial Adipose Tissue Predicts Carotid Intima-Media Thickness Independently of Body Mass Index and Waist Circumference**  
Erdoğan T., Durakoglulil M. E., Çetin M., KOCAMAN S. A., DUMAN H., CICEK Y., SATIROGLU O.  
ACTA CARDIOLOGICA SINICA, cilt.35, sa.1, ss.32-41, 2019 (SCI-Expanded)
- XXXV. **Assessment of the association between the presence of fragmented QRS and the predicted risk score of sudden cardiac death at 5 years in patients with hypertrophic cardiomyopathy**  
Ozyilmaz S., AKGUL O., Uyarel H., PUSUROGLU H., KARAYAKALI M., GUL M., Cetin M., SATILMISOGLU H., YILDIRIM A., BAKIR I.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.18, sa.1, ss.54-61, 2017 (SCI-Expanded)
- XXXVI. **An increase in epicardial adipose tissue is strongly associated with carotid intima-media thickness and atherosclerotic plaque, but LDL only with the plaque**  
KOCAMAN S. A., BAYSAN O., Çetin M., ALTUNER T. K., OCAKLI E. P., DURAKOĞLUGİL M. E., Erdoğan T., KARAOGUZ M. R.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.17, sa.1, ss.56-63, 2017 (SCI-Expanded)
- XXXVII. **Fragmented QRS on Admission Electrocardiography Predicts Long-Term Mortality in Patients with Non-ST-Segment Elevation Myocardial Infarction**  
BOZBEYOGLU E., YILDIRIMTURK O., YAZICI S., CEYLAN U. S., ERDEM A., KAYA A., DONMEZ C., AKYUZ S., Cetin M.  
ANNALS OF NONINVASIVE ELECTROCARDIOLOGY, cilt.21, sa.4, ss.352-357, 2016 (SCI-Expanded)
- XXXVIII. **Low-Level Vitamin D Is Associated with Atrial Fibrillation in Patients with Chronic Heart Failure**  
BELEN E., AYKAN A. C., KALAYCIÖĞLU E., SUNGUR M. A., SUNGUR A., Cetin M.  
ADVANCES IN CLINICAL AND EXPERIMENTAL MEDICINE, cilt.25, sa.1, ss.51-57, 2016 (SCI-Expanded)
- XXXIX. **Relation of Angiographic Thrombus Burden with Severity of Coronary Artery Disease in Patients with ST Segment Elevation Myocardial Infarction**  
DUMAN H., CETIN M., Durakoglulil M. E., DEĞİRMENCİ H., HAMUR H., Bostan M., Karadag Z., Cicek Y.  
MEDICAL SCIENCE MONITOR, cilt.21, ss.3540-3546, 2015 (SCI-Expanded)
- XL. **Ambulatory arterial stiffness index is associated with impaired left atrial mechanical functions in hypertensive diabetic patients: A speckle tracking study**  
KALAYCIÖĞLU E., Gokdeniz T., AYKAN A. C., HATEM E., GURSOY O. M., CAVUSOGLU G., Cetin M., CELIK S.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.15, sa.10, ss.807-813, 2015 (SCI-Expanded)
- XLI. **Complexity of lower extremity peripheral artery disease reflects the complexity of coronary artery disease**  
AYKAN A. C., HATEM E., KARABAY C. Y., GÜL I., GÖKDENİZ T., KALAYCIÖĞLU E., TURAN T., KARA F., ARSLAN A. O., DURSUN I., et al.  
VASCULAR, cilt.23, sa.4, ss.366-373, 2015 (SCI-Expanded)
- XLII. **The relationship of plasma catestatin concentrations with metabolic and vascular parameters in untreated hypertensive patients: Influence on high-density lipoprotein cholesterol**  
Durakoglulil M. E., AYAZ T., KOCAMAN S. A., KIRBAS A., DURAKOGLUGIL T., ERDOGAN T., Cetin M., Sahin O. Z., CICEK Y.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.15, sa.7, ss.577-585, 2015 (SCI-Expanded)
- XLIII. **Comparison of low dose versus standard dose heparin for radial approach in elective coronary angiography?**  
AYKAN A. C., GÖKDENİZ T., GÜL I., KALAYCIÖĞLU E., Cetin M., HATEM E., CAVUSOGLU I. G., KARABAY C. Y., GÜLER A.,

Aykan D. A., et al.

INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.187, ss.389-392, 2015 (SCI-Expanded)

- XLIV. **Relationship of fragmented QRS with prognostic markers and long-term major adverse cardiac events in patients undergoing coronary artery bypass graft surgery**  
Cicek Y., KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., CANGA A., Bozok S., DOĞAN S., ERDOĞAN T.  
JOURNAL OF CARDIOVASCULAR MEDICINE, cilt.16, sa.2, ss.112-117, 2015 (SCI-Expanded)
- XLV. **Androgenetic alopecia is associated with increased arterial stiffness in asymptomatic young adults**  
AGAC M. T., BEKTAS H., KORKMAZ L., Cetin M., ERKAN H., GURBAK I., HATEM E., CELIK S.  
JOURNAL OF THE EUROPEAN ACADEMY OF DERMATOLOGY AND VENEREOLOGY, cilt.29, sa.1, ss.26-30, 2015 (SCI-Expanded)
- XLVI. **Management and outcomes of coronary artery perforations during percutaneous treatment of acute coronary syndromes**  
AYKAN A. C., GULER A., GUL I., KARABAY C. Y., ALIZADE E., GOKDENIZ T., KALAYCIOĞLU E., Cetin M., YILDIZ M.  
PERFUSION-UK, cilt.30, sa.1, ss.71-76, 2015 (SCI-Expanded)
- XLVII. **Clinical staging in chronic heart failure associated with low vitamin D and elevated parathormone levels**  
BELEN E., TIPI F. F., AYKAN A. C., FINDIKCIOĞLU U., KARAKUS G., YESIL A., HELVACI A., KALAYCIOĞLU E., Cetin M.  
ACTA CARDIOLOGICA, cilt.69, sa.6, ss.665-671, 2014 (SCI-Expanded)
- XLVIII. **Predictive value of elevated soluble CD40 ligand in patients undergoing primary angioplasty for ST-segment elevation myocardial infarction**  
PUSUROĞLU H., AKGUL O., ERTURK M., Uyarel H., BULUT U., AKKAYA E., Buturak A., SURGIT O., FUAT A., Cetin M., et al.  
CORONARY ARTERY DISEASE, cilt.25, sa.7, ss.558-564, 2014 (SCI-Expanded)
- XLIX. **Ankle Brachial Index Intensifies the Diagnostic Accuracy of Epicardial Fat Thickness for the Prediction of Coronary Artery Disease Complexity**  
AYKAN A. C., GÜL I., GÖKDENİZ T., HATEM E., ARSLAN A. O., KALAYCIOĞLU E., TURAN T., BELEN E., Cetin M.  
HEART LUNG AND CIRCULATION, cilt.23, sa.8, ss.764-771, 2014 (SCI-Expanded)
- L. **Predictive Value of Elevated Uric Acid in Turkish Patients Undergoing Primary Angioplasty for ST Elevation Myocardial Infarction**  
AKGUL O., Uyarel H., PUSUROĞLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.  
ACTA CARDIOLOGICA SINICA, cilt.30, sa.2, ss.119-127, 2014 (SCI-Expanded)
- LI. **YKL-40 levels in patients with coronary artery ectasia Reply**  
KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T.  
ANADOLU KARDIYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.14, sa.1, ss.98, 2014 (SCI-Expanded)
- LII. **YKL-40 as new cardiac biomarker Reply**  
KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ERDOĞAN T.  
ANADOLU KARDIYOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.14, sa.1, ss.99, 2014 (SCI-Expanded)
- LIII. **A simple angiographic index to predict adverse clinical outcome associated with acute myocardial infarction**  
Ağaç M. T., Ağaç S., KORKMAZ L., ERKAN H., Turan T., BEKTAŞ H., Akyüz A. R., Çetin M., CELİK Ş.  
Türk Kardiyoloji Dernegi Arsivi, cilt.42, sa.4, ss.321-329, 2014 (SCI-Expanded)
- LIV. **Aortic valve sclerosis is a high predictive marker of systemic endothelial dysfunction in hypertensive patients**  
Erdoğan T., Çetin M., KOCAMAN S. A., Durakoglugil M. E., ERGUL E., CANGA A.  
HERZ, cilt.38, sa.8, ss.915-921, 2013 (SCI-Expanded)
- LV. **Increased serum resistin levels in patients with coronary slow-flow phenomenon**  
CANGA A., CETIN M., KOCAMAN S. A., DURAKOĞLUGİL M. E., Kırbaş A., Erdoğan T., TEMİZ A., YILMAZ A., Çiçek Y.  
HERZ, cilt.38, sa.7, ss.773-778, 2013 (SCI-Expanded)

- LVI. **Predictive value of elevated cystatin C in patients undergoing primary angioplasty for ST-elevation myocardial infarction**  
 AKGUL O., Uyarel H., Ergelen M., PUSUROGLU H., GUL M., TUREN S., BULUT U., BAYCAN O. F., OZAL E., Cetin M., et al.  
 JOURNAL OF CRITICAL CARE, cilt.28, sa.5, 2013 (SCI-Expanded)
- LVII. **Predictive value of elevated D-dimer in patients undergoing primary angioplasty for ST elevation myocardial infarction**  
 AKGUL O., Uyarel H., PUSUROGLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.  
 BLOOD COAGULATION & FIBRINOLYSIS, cilt.24, sa.7, ss.704-710, 2013 (SCI-Expanded)
- LVIII. **Relationship between fragmented QRS complexes and left ventricular systolic and diastolic functions**  
 CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Çetin M., Erdoğan T., KIRIS T., ERDEN M.  
 HERZ, cilt.38, sa.6, ss.665-670, 2013 (SCI-Expanded)
- LIX. **The risk of developing AF after cardiac surgery Reply**  
 Cetin M., KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOĞAN S., ŞATIROĞLU Ö.  
 ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.13, sa.5, ss.502, 2013 (SCI-Expanded)
- LX. **Increased YKL-40 levels in patients with isolated coronary artery ectasia: an observational study**  
 ERDOĞAN T., KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., Kirbas A., CANGA A., YILMAZ A., DOĞAN S., ÇİÇEK Y.  
 ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.13, sa.5, ss.465-470, 2013 (SCI-Expanded)
- LXI. **Increased Carotid and Brachial Intima-Media Thickness is Related to Diffuse Coronary Involvement Rather Than Focal Lesions**  
 CANGA A., KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö.  
 ANGIOLOGY, cilt.64, sa.5, ss.356-363, 2013 (SCI-Expanded)
- LXII. **Prognostic value of elevated mean platelet volume in patients undergoing primary angioplasty for ST-elevation myocardial infarction**  
 AKGUL O., Uyarel H., PUSUROGLU H., GUL M., ISIKSACAN N., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., et al.  
 ACTA CARDIOLOGICA, cilt.68, sa.3, ss.307-314, 2013 (SCI-Expanded)
- LXIII. **Increased pulse wave velocity and carotid intimamedia thickness in patients with carpal tunnel syndrome**  
 DURAKOĞLUGİL M. E., ÇİÇEK Y., KOCAMAN S. A., BALIK M. S., Kirbas S., Cetin M., ERDOĞAN T., CANGA A.  
 MUSCLE & NERVE, cilt.47, sa.6, ss.872-877, 2013 (SCI-Expanded)
- LXIV. **Epicardial adipose tissue is independently associated with increased left ventricular mass in untreated hypertensive patients: an observational study**  
 ERDOĞAN T., Cetin M., Kocaman S. A., DURAKOĞLUGİL M. E., ERGUL E., UGURLU Y., CANGA A.  
 ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.13, sa.4, ss.320-327, 2013 (SCI-Expanded)
- LXV. **Effect of epicardial adipose tissue on diastolic functions and left atrial dimension in untreated hypertensive patients with normal systolic function**  
 Cetin M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ERDOĞAN T., ERGUL E., DOĞAN S., CANGA A.  
 JOURNAL OF CARDIOLOGY, cilt.61, ss.359-364, 2013 (SCI-Expanded)
- LXVI. **The independent relationship of epicardial adipose tissue with carotid intima-media thickness and endothelial functions: the association of pulse wave velocity with the active facilitated arterial conduction concept**  
 KOCAMAN S. A., DURAKOĞLUGİL M. E., Cetin M., ERDOĞAN T., ERGUL E., CANGA A.  
 BLOOD PRESSURE MONITORING, cilt.18, sa.2, ss.85-93, 2013 (SCI-Expanded)
- LXVII. **EPICARDIAL ADIPOSE TISSUE IS INDEPENDENTLY ASSOCIATED WITH INCREASED LEFT VENTRICULAR MASS IN UNTREATED HYPERTENSIVE PATIENTS: AN OBSERVATIONAL STUDY**  
 ERDOĞAN T., DURAKOĞLUGİL M. E., Cetin M., KOCAMAN S. A., ERGUL E., UGURLU Y., CANGA A.

- INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.163, 2013 (SCI-Expanded)
- LXXVIII. **ELEVATED SERUM OSTEOPROTEGERIN LEVELS PREDICT IN-HOSPITAL MACE IN PATIENTS WITH STEMI**  
CANGA A., Durakoglugil M. E., Erdogan T., Kirbas A., Yilmaz A., Cicek Y., ERGUL E., CETIN M., KOCAMAN S. A.  
INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.163, 2013 (SCI-Expanded)
- LXIX. **INCREASED CIRCULATING SOLUBLE CD40 LEVELS IN PATIENTS WITH SLOW CORONARY FLOW PHENOMENON**  
Durakoglugil M. E., KOCAMAN S. A., CETIN M., Kirbas A., CANGA A., Erdogan T., Cicek Y.  
INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.163, 2013 (SCI-Expanded)
- LXX. **Elevated serum YKL-40 level predicts myocardial reperfusion and in-hospital MACE in patients with STEMI**  
CETIN M., KOCAMAN S. A., CANGA A., KIRBAS A., YILMAZ A., Erdoğan T., AKGUL Ö., UGURLU Y., DURAKOĞLUGİL M. E.  
HERZ, cilt.38, sa.2, ss.202-209, 2013 (SCI-Expanded)
- LXXI. **PREMATURE HAIR WHITENING IS AN INDEPENDENT PREDICTOR OF CAROTID INTIMA-MEDIA THICKNESS IN YOUNG AND MIDDLE-AGED MEN**  
KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., Cetin M., UGURLU Y., SAHIN I., CANGA A.  
INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.163, 2013 (SCI-Expanded)
- LXXII. **INCREASED PLASMINOGEN ACTIVATOR INHIBITOR-1 LEVELS IN PATIENTS WITH ISOLATED CORONARY ARTERY ECTASIA**  
Cicek Y., Durakoglugil M. E., Erdogan T., CETIN M., Yilmaz A., Uydu H. A., SAGLAM H., KOCAMAN S. A., CANGA A., Satiroglu O., et al.  
INTERNATIONAL JOURNAL OF CARDIOLOGY, cilt.163, 2013 (SCI-Expanded)
- LXXIII. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**  
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., Cetin M., ERDOĞAN T., DOĞAN S., UGURLU Y., CANGA A.  
BLOOD PRESSURE, cilt.22, sa.1, ss.34-38, 2013 (SCI-Expanded)
- LXXIV. **Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study**  
Durakoglugil M. E., KOCAMAN S. A., Cetin M., Kirbas A., CANGA A., Erdogan T., Cicek Y.  
ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.13, sa.1, ss.39-44, 2013 (SCI-Expanded)
- LXXV. **Premature Hair Whitening is an Independent Predictor of Carotid Intima-media Thickness in Young and Middle-aged Men**  
Erdogan T., KOCAMAN S. A., Cetin M., Durakoglugil M. E., UGURLU Y., SAHIN I., CANGA A.  
INTERNAL MEDICINE, cilt.52, sa.1, ss.29-36, 2013 (SCI-Expanded)
- LXXVI. **Comparision of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease.**  
UYDU H. A., BOSTAN M., YILMAZ A., DEMİR A., ATAK M., ŞATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.  
European review for medical and pharmacological sciences, cilt.17, sa.1, ss.112-8, 2013 (SCI-Expanded)
- LXXVII. **Independent determinants of ascending aortic dilatation in hypertensive patients: smoking, endothelial dysfunction, and increased epicardial adipose tissue**  
Cetin M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ERDOĞAN T., UGURLU Y., DOĞAN S., CANGA A.  
BLOOD PRESSURE MONITORING, cilt.17, sa.6, ss.223-230, 2012 (SCI-Expanded)
- LXXVIII. **Severity of coronary artery disease and prostate-specific antigen relationship in men**  
ŞATIROĞLU Ö., BOSTAN M., UZUN H., Cetin M., BOZKURT E.  
EUROPEAN REVIEW FOR MEDICAL AND PHARMACOLOGICAL SCIENCES, cilt.16, sa.15, ss.2078-2081, 2012 (SCI-Expanded)
- LXXIX. **Relationship between Leukocyte and Subtype Counts, Low-Grade Inflammation and Slow Coronary Flow Phenomenon in Patients with Angiographically Normal Coronary Arteries**



- Canga A., Kocaman S. A., Cetin M., Cetin M., Durakoglulil E., ERDOĞAN T., ÇİÇEK Y.  
ACTA CARDIOLOGICA SINICA, cilt.28, sa.4, ss.306-314, 2012 (SCI-Expanded)
- LXXX. **A rare sign of ischemia during exercise ECG: PR interval lengthening in the recovery period**  
DURAKOĞLUGİL M. E., Kocaman S. A., ÇİÇEK Y., CETİN M.  
Türk Kardiyoloji Derneği arşivi : Türk Kardiyoloji Derneğinin yayın organıdır, cilt.40, sa.8, ss.719-722, 2012 (SCI-Expanded)
- LXXXI. **Fragmented QRS may predict postoperative atrial fibrillation in patients undergoing isolated coronary artery bypass graft surgery**  
Cetin M., KOCAMAN S. A., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., CANGA A., TEMİZ A., DOĞAN S., ŞATIROĞLU Ö.  
ANADOLU KARDIOLOJİ DERGİSİ-THE ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.12, sa.7, ss.576-583, 2012 (SCI-Expanded)
- LXXXII. **Elevated serum osteoprotegerin levels predict in-hospital major adverse cardiac events in patients with ST elevation myocardial infarction**  
CANGA A., DURAKOĞLUGİL M. E., ERDOĞAN T., Kirbas A., YILMAZ A., ÇİÇEK Y., ERGUL E., Cetin M., KOCAMAN S. A.  
JOURNAL OF CARDIOLOGY, cilt.60, ss.355-360, 2012 (SCI-Expanded)
- LXXXIII. **Absence and Resolution of Fragmented QRS Predict Reversible Myocardial Ischemia With Higher Probability of ST Segment Resolution in Patients With ST Segment Elevation Myocardial Infarction**  
Çetin M., KOCAMAN S. A., KIRIS T., Erdoğan T., CANGA A., DURAKOĞLUGİL M. E., CICEK Y., DOĞAN S., SATIROGLU Ö.  
KOREAN CIRCULATION JOURNAL, cilt.42, sa.10, ss.674-683, 2012 (SCI-Expanded)
- LXXXIV. **The degree of premature hair graying as an independent risk marker for coronary artery disease: a predictor of biological age rather than chronological age**  
KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ERDOĞAN T., CANGA A., ÇİÇEK Y., DOĞAN S., SAHİN I., ŞATIROĞLU Ö., Bostan M.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.12, sa.6, ss.457-463, 2012 (SCI-Expanded)
- LXXXV. **Increased epicardial adipose tissue in patients with slow coronary flow phenomenon**  
ERDOĞAN T., CANGA A., KOCAMAN S. A., Cetin M., DURAKOĞLUGİL M. E., ÇİÇEK Y., UGURLU Y., Bozok S.  
KARDIOLOGIA POLSKA, cilt.70, sa.9, ss.903-909, 2012 (SCI-Expanded)
- LXXXVI. **Increased pulse wave velocity in patients with panic disorder: Independent vascular influence of panic disorder on arterial stiffness**  
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., GUVELİ H., Cetin M., ERDOĞAN T., SAHİN I., DOĞAN S., CANGA A.  
JOURNAL OF PSYCHOSOMATIC RESEARCH, cilt.73, sa.2, ss.145-148, 2012 (SCI-Expanded)
- LXXXVII. **Relationship of fragmented QRS complexes with inadequate coronary collaterals in patients with chronic total occlusion**  
ERDOĞAN T., KOCAMAN S. A., Cetin M., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., TEMİZ A., Karadag Z., UGURLU Y., ŞATIROĞLU Ö., et al.  
JOURNAL OF CARDIOVASCULAR MEDICINE, cilt.13, sa.8, ss.499-504, 2012 (SCI-Expanded)
- LXXXVIII. **The Independent Relationship of Systemic Inflammation With Fragmented QRS Complexes in Patients With Acute Coronary Syndromes**  
Çetin M., KOCAMAN S. A., Erdoğan T., CANGA A., DURAKOĞLUGİL M. E., SATIROGLU Ö., AKGUL O., KIRIS T., CICEK Y., YAYLAK B., et al.  
KOREAN CIRCULATION JOURNAL, cilt.42, sa.7, ss.449-457, 2012 (SCI-Expanded)
- LXXXIX. **Relationship of the angiographic extent of peripheral arterial disease with coronary artery involvement**  
ŞATIROĞLU Ö., KOCAMAN S. A., Karadag Z., TEMİZ A., Cetin M., CANGA A., ERDOĞAN T., Bostan M., ÇİÇEK Y., Durakoglulil E., et al.  
JOURNAL OF THE PAKISTAN MEDICAL ASSOCIATION, cilt.62, sa.7, ss.644-649, 2012 (SCI-Expanded)
- XC. **The independent relationship between systemic inflammation and fragmented QRS complexes in patients with stable angina pectoris**  
Cetin M., KOCAMAN S. A., CANGA A., DURAKOĞLUGİL M. E., ERDOĞAN T., ŞATIROĞLU Ö., KIRIS T., UGURLU Y., ÇİÇEK Y., Bostan M.

KARDIOLOGIA POLSKA, cilt.70, sa.7, ss.668-676, 2012 (SCI-Expanded)

- XCI. **Relation between aortic stiffness and extension of coronary artery disease**  
SATIROGLU Ö., BOSTAN M., BAYAR N., CICEK Y., Cetin M., BOZKURT E.  
TURKISH JOURNAL OF MEDICAL SCIENCES, cilt.42, sa.3, ss.417-424, 2012 (SCI-Expanded)
- XCII. **Relationship of fragmented QRS with prognostic markers and in-hospital MACE in patients undergoing CABG**  
ERDOĞAN T., Cetin M., KOCAMAN S. A., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., Bozok S., ŞATIROĞLU Ö., Bostan M.  
SCANDINAVIAN CARDIOVASCULAR JOURNAL, cilt.46, sa.2, ss.107-113, 2012 (SCI-Expanded)
- XCIII. **Association between deletion polymorphism of angiotensin converting enzyme gene and pulmonary hypertension in pulmonary thromboembolism**  
BOZOK S., ILHAN G., DESTAN B., KARAMUSTAFA H., KARAKISI S. O., ÇETİN M., TUFEKCI N., ASLAN C., EMİR M.  
TURK GOGUS KALP DAMAR CERRAHISI DERGISI-TURKISH JOURNAL OF THORACIC AND CARDIOVASCULAR SURGERY, cilt.20, sa.2, ss.281-286, 2012 (SCI-Expanded)
- XCIV. **Increased Epicardial Adipose Tissue Thickness Is Correlated with Ascending Aortic Diameter**  
CANGA A., KOCAMAN S. A., Cetin M., Erdogan T., Durakoglulil M. E., Cicek Y., UGURLU Y., Satiroglu O.  
TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE, cilt.226, sa.3, ss.183-190, 2012 (SCI-Expanded)
- XCV. **Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia**  
ÇİÇEK Y., DURAKOĞLUGİL M. E., ERDOĞAN T., YILMAZ A., UYDU H. A., SAGLAM H., Cetin M., ŞATIROĞLU Ö., Bostan M., CANGA A., et al.  
JOURNAL OF THROMBOSIS AND THROMBOLYSIS, cilt.33, sa.1, ss.120-123, 2012 (SCI-Expanded)
- XCVI. **Increased Epicardial Adipose Tissue in Patients with Isolated Coronary Artery Ectasia**  
Cetin M., ERDOĞAN T., KOCAMAN S. A., CANGA A., ÇİÇEK Y., DURAKOĞLUGİL M. E., ŞATIROĞLU Ö., AKGUL O., Bostan M.  
INTERNAL MEDICINE, cilt.51, sa.8, ss.833-838, 2012 (SCI-Expanded)
- XCVII. **Increased Serum Bilirubin Level is Related to Good Collateral Development in Patients with Chronic Total Coronary Occlusion**  
Erdogan T., Cicek Y., KOCAMAN S. A., CANGA A., Cetin M., Durakoglulil E., Satiroglu O., TEMİZ A., ERGUL E., SAHİN I., et al.  
INTERNAL MEDICINE, cilt.51, sa.3, ss.249-255, 2012 (SCI-Expanded)
- XCVIII. **The particular interactions of the traditional cardiovascular risk factors with different circulating specific leukocyte subtype counts in blood: an observational study**  
Kocaman S. A., Sahinarslan A., Kunak T., Balcioglu S., Cetin M., Cemri M., Timurkaynak T., Boyaci B., Cengel A.  
ANATOLIAN JOURNAL OF CARDIOLOGY, cilt.11, sa.7, ss.573-581, 2011 (SCI-Expanded)
- XCIX. **Metabolic syndrome is a predictor for an ECG sign of no-reflow after primary PCI in patients with acute ST-elevation myocardial infarction**  
TARTAN Z., OZER N., UYAREL H., AKGUL O., GUL M., Cetin M., KASIKCIOGLU H., CAM N.  
NUTRITION METABOLISM AND CARDIOVASCULAR DISEASES, cilt.18, sa.6, ss.441-447, 2008 (SCI-Expanded)
- C. **Level of Selvester QRS score is predictive of ST-segment resolution and 30-day outcomes in patients with acute myocardial infarction undergoing primary coronary intervention**  
Uyarel H., Cam N., Okmen E., Kasikcioglu H., Tartan Z., Akgul O., Simsek D., Cetin M., Bozbeyoglu E., Buturak A., et al.  
AMERICAN HEART JOURNAL, cilt.151, sa.6, 2006 (SCI-Expanded)

## **Diğer Dergilerde Yayınlanan Makaleler**

- I. **Evaluation Of The Relationship Between Epicardial Adipose Tissue Thickness And Extensivity Of Coronary Artery Disease**  
Ergül E., Özyildiz A. G., Durak H., Çetin M.  
Ege Klinikleri Tıp Dergisi, cilt.61, sa.3, ss.265-270, 2023 (Hakemli Dergi)
- II. **Primer Perkütan Koroner Girişim Uygulanan ST Segmenti Yükselmeli Miyokard Enfarktüsü Yaşlı**

**Hastalarda Tiroid Fonksiyonları Tüm Nedenlere Bağlı Uzun Dönem Mortalite ile İlişkilidir Thyroid Functions Are Associated with All-Cause Long-Term Mortality in Elderly Patients with ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention**

Emre E., Hancı K., GÖKÇEK M. D., Aktaş M., Kalaycıoğlu E., ÇETİN M., KARAÜZÜM K., KARAÜZÜM İ., URAL E.

Türk Kardiyoloji Dernegi arsivi : Turk Kardiyoloji Derneginin yayin organidir, cilt.51, sa.6, ss.387-393, 2023 (Scopus)

- III. **Egzersize Dayalı Kardiyak Rehabilitasyon Koroner Arter Hastalığı Olan Hastalarda Arter Sertliğini Azalttı, CAVI Yöntemiyle Belirlendi “Kardiyak Rehabilitasyon Art er Sertliğini Azalttı”**  
EMRE E., UZUN G., ÖZDERYA A., ÇETİN M., SAYIN M. R., KALAYCIOĞLU E.  
Kocaeli Tıp Dergisi, cilt.12, sa.1, ss.158-165, 2023 (Hakemli Dergi)
- IV. **Effect of coronavirus disease-2019 infection on left atrial functions**  
ERGÜL E., Ozyildiz A., EMLEK N., Ozyildiz A. G., DUMAN H., ÇETİN M.  
JOURNAL OF CARDIOVASCULAR ECHOGRAPHY, cilt.32, sa.2, ss.89-94, 2022 (ESCI)
- V. **Serum uric acid level independently predicted metabolic syndrome in non-diabetic hypertensive patients**  
YILMAZ A. S., Kahraman F., ERGÜL E., KOÇ H., ÇETİN M.  
Arterial Hypertension (Poland), cilt.26, sa.4, ss.146-152, 2022 (Scopus)
- VI. **The PR Interval Predicted Major Adverse Cardiovascular Events in Patients with Acute Coronary Syndrome Who Underwent Percutaneous Coronary Intervention: 3 Years Follow-up Results**  
YILMAZ A. S., Cinier G., Kahraman F., ÇETİN M., Cirakoglu O. F.  
JOURNAL OF ACADEMIC RESEARCH IN MEDICINE-JAREM, cilt.11, sa.3, ss.241-248, 2021 (ESCI)
- VII. **Left atrial volume index to left ventricular ejection fraction ratio predicted major adverse cardiovascular event in ST-Elevated myocardial infarction patients during 8 years of follow-up**  
Yilmaz A., Kahraman F., ERGÜL E., ÇETİN M.  
Journal of Cardiovascular Echography, cilt.31, sa.4, ss.227-233, 2021 (ESCI)
- VIII. **Esophagitis and gastritis are associated with premature atrial contractions in patients with gastroesophageal reflux disease**  
BODUR O., YILMAZ A. S., AKDOĞAN R. A., DURAKOĞLUGİL M. E., DUMAN H., KOCAMAN S. A., ÇETİN M.  
Cardiovascular Surgery and Interventions, cilt.8, sa.2, ss.109-115, 2021 (Hakemli Dergi)
- IX. **Predictors for the prolonged R wave peak time among patients with arterial hypertension**  
Cinier G., YILMAZ A. S., Tekkesin A. I., ÇETİN M.  
TURK KARDIYOLOJİ DERNEĞİ ARSIVI-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, cilt.49, sa.5, ss.387-394, 2021 (ESCI)
- X. **Stabil Anjina Pektorisli Hastalarda İzole Koroner Arter Ektazisinin Uzun Süreli Takipte Ölüm Üzerine Etkisi**  
OZER S., Çetin M., Özyıldız A. G., Erdoğan T.  
MN Kardiyoloji, cilt.28, sa.1, ss.32-37, 2021 (Hakemli Dergi)
- XI. **Epicardial fat thickness is associated with retinopathy in patients with newly diagnosed hypertension**  
Ozer S., Yucekul B., YILMAZ A. S., Ozyildiz A. G., Kinik M., TURAN O. E., ASLAN M. G., ÇETİN M.  
NORTHERN CLINICS OF ISTANBUL, cilt.8, sa.4, ss.365-370, 2021 (ESCI)
- XII. **Blood urea nitrogen level in patients with chronic total occlusion predicts long-term mortality independent of estimated glomerular filtration rate and serum creatine level: (9-year follow-up results)**  
ÖZYILDIZ A. G., ÇETİN M., Özer S., DUMAN H., giriş t.  
Annals of Medical Research, cilt.28, sa.10, ss.1801-1806, 2021 (Hakemli Dergi)
- XIII. **A New Scoring System Detecting the Supraventricular Tachycardia Inducibility and Radiofrequency Ablation With High Specificity in Electrophysiological Study**  
Ozer S., ÇETİN M., Ozyildiz A. G., Gengoru R., TURAN O. E., Pusuroglu M., BAHÇECİ B., Erdogan T.  
JOURNAL OF THE SAUDI HEART ASSOCIATION, cilt.32, sa.2, ss.134-140, 2020 (ESCI)
- XIV. **Is Premature Hair Whitening a Predictor of Hypertension for Healthy Young and Middle-Aged Men?**

ÖZYILDIZ A. G., ÇETİN M., ÖZER S., TURAN O. E., DURAK H., ERDOĞAN T.

Sakarya Tıp Dergisi, cilt.10, sa.2, ss.277-284, 2020 (Hakemli Dergi)

- XV. **Increased Epicardial Adipose Tissue is Associated with the Extent of Aortic Dissection**  
EMLEK N., YILMAZ A. S., ÖZER S., GÜNDOĞDU H., DURAKOĞLUGİL M. E., ÇETİN M.  
Journal of the Saudi Heart Association, cilt.32, 2020 (ESCI)
- XVI. **Impact of Postdilation on Intervention Success and Long-Term Major Adverse Cardiovascular Events (MACE) among Patients with Acute Coronary Syndromes**  
ERDOĞAN T., Duman H., ÇETİN M., ÖZER S., ÇİNİER G., Usta E., USTA M., KIRIŞ T.  
CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, cilt.4, sa.3, ss.185-193, 2020 (ESCI)
- XVII. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery**  
Erdogan T., ÇETİN M., Cinier G., Ozer S., Yolmaz A. S., Karakisi O., Koros T.  
JOURNAL OF THE SAUDI HEART ASSOCIATION, cilt.32, sa.1, ss.79-85, 2020 (ESCI)
- XVIII. **Prolonged QRS independently predicts long-term all-cause mortality in patients with narrow QRS complex undergoing coronary artery bypass grafting surgery (9-year follow-up results)**  
Erdoğan T., Çetin M., Özyıldız A. G., Özer S., Uslu A., Karakişi S. O., Kırış T.  
KARDIOCHIRURGIA I TORAKOCHIRURGIA POLSKA-POLISH JOURNAL OF THORACIC AND CARDIOVASCULAR SURGERY, cilt.17, sa.3, ss.117-122, 2020 (ESCI)
- XIX. **Preoperative blood urea nitrogen-to-left ventricular ejection fraction ratio is an independent predictor of long-term major adverse cardiac events in patients undergoing coronary artery bypass grafting surgery: 10-year follow-up results**  
ERDOĞAN T., ÇETİN M., ÇİNİER G., ÖZER S., YILMAZ A. S., KARAKIŞI S. O., KIRIŞ T.  
Journal of the Saudi Heart Association, 2019 (Scopus)
- XX. **The Relationship Between Mean Platelet Volume and In-Hospital Mortality in Geriatric Patients with ST Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention**  
SATIROGLU O., Durakoglugil M. E., UYDU H. A., DUMAN H., Çetin M., CICEK Y., Erdoğan T.  
CARDIOVASCULAR INNOVATIONS AND APPLICATIONS, cilt.4, sa.2, ss.135-141, 2019 (ESCI)
- XXI. **Hair whitening and obesity are independently related to ascending aorta dilatation in young-middle aged men**  
Çetin M., BOZBEYOGLU E., Erdoğan T., KOCAMAN S. A., SATIROGLU O., Durakoglugil M. E.  
NORTHERN CLINICS OF ISTANBUL, cilt.6, sa.1, ss.33-39, 2019 (ESCI)
- XXII. **Elektrofizyoloji Laboratuvarında Supraventriküler Taşikardi Uyarılabilirliği İçin Tipik Semptomlar Döküman EKG Varlığı Kadar Önemlidir**  
KOCAMAN s. a., CETIN M., Bodur O., DURAKOGLUGIL M. E., ERDOĞAN T., ŞATIROĞLU Ö., ERDEM d., KARAOĞUZ r.  
Medicana Medical Journal, cilt.2, sa.2, ss.46-51, 2018 (Hakemli Dergi)
- XXIII. **Prolonged QRS duration on surface electrocardiogram is associated with left ventricular restrictive filling pattern**  
Erdoğan T., Durakoglugil M. E., CICEK Y., Çetin M., DUMAN H., SATIROGLU O., Celik S.  
INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, cilt.9, sa.1, ss.9-14, 2017 (ESCI)
- XXIV. **The role of urotensin II and atherosclerotic risk factors in patients with slow coronary flow**  
SATIROGLU O., Durakoglugil M. E., Çetin M., CICEK Y., Erdoğan T., DUMAN H.  
INTERVENTIONAL MEDICINE AND APPLIED SCIENCE, cilt.8, sa.4, ss.158-163, 2016 (ESCI)
- XXV. **Semptomu Olan Yüksek Riskli Hastalarda Karotis Arter Stentleme: Tek Merkez Deneyimi**  
AYKAN A. Ç., GÜL İ., GÖKDENİZ T., KALAYCIOĞLU E., TURAN T., DURSUN İ., HATEM E., ÇETİN M., ÇELİK Ş.  
Kosuyolu Heart Journal, cilt.17, sa.2, ss.91-94, 2014 (Hakemli Dergi)
- XXVI. **ALANINE AMINOTRANSFERASE LEVELS AND MONOCYTE COUNTINDEPENDENTLY PREDICT 30 DAY OUTCOMES IN ST ELEVATIONMYOCARDIAL INFARCTION PATIENTS WITH SUCCESSFULLYRESTORED CORONARY TIMI 3 FLOW BY PRIMARY PERCUTANEOUSCORONARY INTERVENTION**  
ERDOĞAN T., ÇETİN M., sinan altan k., DURAKOĞLUGİL M. E., aytun ç., ÇİÇEK Y., akgül ö., gül m.

DUZCE MEDICAL JOURNAL, cilt.16, sa.1, ss.29-34, 2014 (Hakemli Dergi)

- XXVII. **Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard İnfarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür.**  
ERDOĞAN T., ÇETİN M., KOCAMAN S. A., DURAKOĞLUGİL M. E., ÇANGA A., ÇİÇEK Y., AKGÜL Ö., GÜL M.  
Düzce Üniversitesi Tıp Fakültesi Dergisi, cilt.1, sa.1, ss.29-34, 2014 (Scopus)
- XXVIII. **Alanin Aminotransferaz Düzeyleri ve Monosit Sayısı Primer Perkutan Koroner Girişim ile Başarılı TIMI-3 Koroner Akım Sağlanan ST Yükselmeli Miyokard İnfarktüsünde 30 Günlük Sonuçları Bağımsız Olarak Öngörür**  
ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E., ÇİÇEK Y., Kocaman S. A., Canga A.  
Duzce Medical Journal, cilt.16, sa.1, ss.29-34, 2014 (Hakemli Dergi)
- XXIX. **Diagnostic Performance of 128-Slice Multi-Slice Computed Tomography for the Detection of Significant Coronary Artery Lesions**  
ÇİÇEK Y., CANGA A., DURAKOĞLUGİL M. E., ÇETİN M., ŞATIROĞLU Ö., KOCAMAN S. A., ERDOĞAN T., BOZKURT S., ÖZATEŞ M.  
SELÇUK TIP DERGİSİ, cilt.29, sa.3, ss.108-112, 2013 (Hakemli Dergi)
- XXX. **Thrombin Activatable Fibrinolysis Inhibitor (TAFI) Activity In Patients with Isolated Coronary Artery Ectasia**  
ÇANGA A., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., DURAKOĞLUGİL M. E., ERDOĞAN T., TEMİZ A., ERGÜL E., ÇİÇEK Y.  
International Journal of Clinical Research, cilt.1, sa.1, ss.5-9, 2013 (Hakemli Dergi)
- XXXI. **Normotansif Erken Dönem Romatoid Artrit Hastalarında Arteriyel Sertlik Bozulmamıştır**  
Temiz A., Uğurlu ., ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö.  
Uluslararası Klinik Araştırmalar Dergisi, cilt.1, sa.1, ss.1-4, 2013 (Hakemli Dergi)
- XXXII. **A Case with Myopericarditis Caused by H1N1 Virus Infection**  
ÇANGA A., BOSTAN M., ÇETİN M., ERDOĞAN T., ÇİÇEK Y.  
ELECTRONIC JOURNAL OF GENERAL MEDICINE, cilt.10, sa.42, ss.81-82, 2013 (ESCI)
- XXXIII. **Arterial Stiffness in Normotensive Patients with Rheumatoid Arthritis is not Impaired in Early Period**  
TEMİZ A., GÜNGÖR Ö., DEVRİMSSEL G., UĞURLU Y., ÇETİN M., ERDOĞAN T., ÇİÇEK Y., ŞATIROĞLU Ö., BOSTAN M.  
International Journal of Clinical Research, cilt.1, sa.1, ss.1-4, 2013 (Hakemli Dergi)
- XXXIV. **Thrombin Activatable Fibrinolysis Inhibitor (TAFI) Activity In Patients with Isolated Coronary Artery Ectasia**  
CANGA A., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., DURAKOĞLUGİL M. E., ERDOĞAN T., TEMİZ A., ERGÜL E., ÇİÇEK Y.  
International Journal of Clinical Research, cilt.1, sa.1, ss.5-9, 2013 (Hakemli Dergi)
- XXXV. **A rare combination: Single coronary artery originating from the left sinus of valsalva coexisting with perimembranous ventricular septal defect**  
CANGA A., KOCAMAN S. A., KESKİN G., Çetin M., DURAKOĞLUGİL M. E., Bozok Ş.  
Journal of Cardiology Cases, cilt.6, sa.2, 2012 (Scopus)
- XXXVI. **Huge Non-ruptured True Saccular Aneurysm of the Ascending Aorta**  
ERDOĞAN T., ÇETİN M., DURAKOĞLUGİL M. E.  
GAZI MEDICAL JOURNAL, cilt.23, sa.4, ss.151-153, 2012 (ESCI)
- XXXVII. **The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention**  
SİNAN ALTAN K., ÇETİN M., TUNCAY K., ERDOĞAN T., ŞATIROĞLU Ö., ŞAHİNARSLAN A., ÇİÇEK Y., BOSTAN M.  
TURK KARDIOLOJİ DERNEĞİ ARSIVI-ARCHIVES OF THE TURKISH SOCIETY OF CARDIOLOGY, cilt.40, sa.3, ss.213-222, 2012 (Scopus)
- XXXVIII. **Red Blood Cell Distribution Width RDW and its Association with Coronary Atherosclerotic Burden in Patients with Stable Angina Pectoris**  
ÇETİN M., BOSTAN M., SİNAN ALTAN K., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., TEMİZ A.  
Eur J Gen Med, cilt.1, sa.9, ss.7-13, 2012 (Hakemli Dergi)
- XXXIX. **Primary percutaneous coronary intervention for the treatment of a patient with cardiogenic shock due to acute total occlusion of unprotected left main coronary artery without supportive collateral**

flow.

Çetin M., KOCAMAN S., BOSTAN M., Erdogan T., Satiroglu Ö.

Future cardiology, cilt.7, ss.749-55, 2011 (Scopus)

**XL. Giant superior mesenteric artery aneurysm**

TEMİZ A., BOSTAN M., SATIROGLU Ö., ÇETİN M., BOZKURT E.

Dicle Medical Journal / Dicle Tıp Dergisi, cilt.38, sa.3, ss.352-354, 2011 (Hakemli Dergi)

**XLI. Periferik Arter Hastalığı Yaygınlığıyla Aterosklerotik RiskFaktörleri Arasında İlişki**

SATIROGLU Ö., BOSTAN M., CICEK Y., ÇETİN M., BOZKURT E.

Selçuk Üniv Tıp Derg, cilt.4, sa.277, ss.213-218, 2011 (Hakemli Dergi)

**XLII. Acute change in left ventricle end-diastolic pressure after primary percutaneous coronary intervention in patients with ST segment elevation myocardial infarction**

SATIROGLU Ö., CICEK Y., BOSTAN M., Çetin M., BOZKURT E.

American Heart Hospital Journal, cilt.8, sa.2, ss.86-90, 2010 (Scopus)

**XLIII. Are the symptoms of mitral valve prolapse syndrome (MVPS) related to angiotensin converting enzyme (ACE) gene polymorphism (I/D)?**

Tangurek B., Ozer N., ÇETİN M., Yilmaz H., Sayar N., Aksoy S., Gurkan U., Bolca O.

MEDICAL JOURNAL OF BAKIRKOY, cilt.4, sa.4, ss.152-155, 2008 (ESCI)

**XLIV. The relationship between high sensitivity C reactive protein levels on admission andST segment resolution following successful primary percutaneous coronary intervention**

UYAREL H., ÇETİN M.

Türk Kardiyol Dern Arfl, cilt.7, sa.34, ss.406-412, 2008 (Hakemli Dergi)

**XLV. The Effect of Admission Glucose Levels on ST Segment Resolution Following SuccessfulPrimary Percutaneous Coronary Intervention**

UYAREL H., HÜLYA K., ZEYNEP T., AKGUL Ö., DİLEK Ş., ÇETİN M.

MN Kardiyoloji, cilt.2, sa.13, ss.102-108, 2006 (Hakemli Dergi)

## **Hakemli Kongre / Sempozyum Bildiri Kitaplarında Yer Alan Yayınlar**

**I. Impaired Cardiac Autonomic Function is Independently Associated With Diastolic Dysfunction and Inflammation Markers in Newly Diagnosed Hypertensive Patients**

ÖZYILDIZ A. G., ÇETİN M.

17th International Congress of Update in Cardiology and Cardiovascular Surgery, Dijital, Türkiye, 05 Kasım 2021

**II. Blood urea nitrogen and gamma glutamyl transferase levels are independently associated with prolongation of his-ventricular interval**

ÖZYILDIZ A. G., ÇETİN M.

36. Türk Kardiyoloji Kongresi, Dijital, Türkiye, 3 - 06 Aralık 2020, cilt.24, ss.13-14

**III. Serum vitamin D deficiency is independently associated with mitral annular calcification in acute coronary syndrome patients**

ÖZYILDIZ A. G., ÇETİN M.

36. Türk Kardiyoloji Kongresi, Dijital, Türkiye, 03 Aralık 2020, cilt.24, ss.102

**IV. The documented ECG is related to dual AV nodal pathway physiology, but not to supraventricular tachycardia inducibility in the electrophysiological laboratory.**

Kocaman S. A., Çetin M., Bodur O., Durakoğlugil M. E., Erdoğan T., Şatıroğlu Ö., Diker E., Karagöz R.

Ulusal Aritmi Kongresi, Muğla, Türkiye, 13 - 15 Nisan 2018

**V. The relationship of mean platelet volume with in-hospital mortality in geriatric patients with ST elevation myocardial infarction who underwent primary percutaneous coronary intervention.**

SATIROGLU Ö., DURAKOGLUGIL M. E., UYDU H. A., DUMAN H., ÇETİN M., CICEK Y., ERDOGAN T.

33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Türkiye, 5 - 08 Ekim 2017

**VI. The association of in-hospital mortality with renal functions in geriatric patients with ST elevation myocardial infarction who underwent primary PCI.**

SATIROGLU Ö., DURAKOGLUGİL M. E., ERDOĞAN T., DUMAN H., CİCEK Y., ÇETİN M.

33. Uluslararası Katılımlı Türk Kardiyoloji Kongresi, Türkiye, 5 - 08 Ekim 2017

- VII. **The Relationship between total atrial conduction time and left atrial global strain in patients with psoriasis vulgaris**

DUMAN H., DİLEK N., DEMİRELLİ S., İNCİ S., duman h., ÇETİN M., DURAKOĞLUGİL M. E.

33.ULUSAL KARDİYOLOJİ KONGRESİ, 6 - 09 Ekim 2017

- VIII. **Akut gastroenterit sonrası gelişen hipopotasemi ve bradikardiye bağlı polimorfik VT olgusu.**

DUMAN H., DURAKOGLUGİL M. E., SATIROGLU Ö., CİCEK Y., ERDOĞAN T., ÇETİN M., ERGÜL M.

Ulusal Aritmi Toplantısı 2017, Türkiye, 4 - 07 Mayıs 2017

- IX. **Metastatik akciğer kanserinin sağ atriymu kolloba ettiği ekokardiyografik görüntü olgusu.**

SATIROGLU Ö., ERDOĞAN T., DURAKOGLUGİL M. E., ÇETİN M., DUMAN H., CİCEK Y.

4. Kardiyoloji Bahar Güncellemesi, Türkiye, 2 - 05 Mart 2017

- X. **Aort koarktasyonu operasyonu sırasında hipertansif ensefalopati gelişen ve kurtarılan bir olgu**

SATIROGLU Ö., DURAKOGLUGİL M. E., DUMAN H., ÇETİN M., CİCEK Y., ERDOĞAN T.

4. Kardiyoloji Bahar Güncellemesi, Türkiye, 2 - 05 Mart 2017

- XI. **Atrial fibrilasyonla prezente olan preeklampsi: Olgu sunumu**

GÜRLEK B., Mete Ural Ü., Çetin M., Tekin Y., Kazaz İ. M.

13. Uludağ Jinekoloji ve Obstetri Kış Kongresi, Bursa, Türkiye, 2 - 05 Mart 2017

- XII. **Protez mitral kapakda fungal endokardite bağlı alt ekstremitte arterde emboli olgusu**

ŞATIROĞLU Ö., DURAK H., GENGÖRÜ R., BODUR O., DUMAN H., KARADAĞ Z., ÇETİN M.

32.ULUSLARASI KATILIMLI KARDİYOLOJİ KONGRESİ, 20 - 23 Ekim 2016

- XIII. **TAVI sonrası nadir komplikasyon pace leadine bağlı perikardiyal tamponad sonrasında sağ ventrikülde kollaps ve hastanın ölümüne yol açan perikard içi dev trombus öyküsü**

ŞATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.

32nd TKD congress with international participation, 20 - 23 Ekim 2016

- XIV. **Increased hair whitening and obesity are D11 D0 10 %40 4 independently related to ascending aortic dilatation in young-middle aged men.**

ÇETİN M., ERDOĞAN T., DUMAN H., ÇİÇEK Y., ŞATIROĞLU Ö., DURAKOĞLUGİL M. E., AKGÜL Ö.

32. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 20 - 23 Ekim 2016, cilt.1, ss.1

- XV. **Increased hair whitening and obesity areD11D010404independently related to ascending aortic dilatation in young-middle aged men.**

ÇETİN M., ERDOĞAN T., KOCAMAN S. A., DUMAN H., ÇİÇEK Y., ŞATIROĞLU Ö., AKGÜL Ö., DURAKOĞLUGİL M. E.

32. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 20 - 23 Ekim 2016

- XVI. **TAVI sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan, perikard içi dev thrombus olgusu.**

ŞATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.

32. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 20 - 23 Ekim 2016

- XVII. **Kronik total tıkalı sol subklavian arterin retrograde teknikle perkütan balon ve stentle açılması.**

ŞATIROĞLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.

32. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 20 - 23 Ekim 2016

- XVIII. **TAVİ sonrası nadir komplikasyon Pace leadine bağlı perikardiyal tamponad oluşan sonrasında sağ ventrikül kollaps ve hastanın ölümüne yol açan perikard içi dev thrombus olgusu**

SATIROGLU Ö., DURAKOĞLUGİL M. E., DUMAN H., ERDOĞAN T., ÇİÇEK Y., ÇETİN M.

23. uluslar arası tkd kongresi, Türkiye, 20 Ekim 2016

- XIX. **Predictive value of elevated D-dimer in patients undergoing primary angioplasty for ST elevation myocardial infarction**

AKGUL O., Uyarel H., PUSUROGLU H., GUL M., TUREN S., ERTURK M., SURGIT O., Cetin M., BULUT U., BAYCAN O.

Annual Meeting of the European-Society-of-Cardiology (ESC), Barcelona, İspanya, 30 Ağustos - 03 Eylül 2014, cilt.35, ss.305

- XX. **Comparison of low dose versus standard dose heparin for radial approach in elective coronary angiography?**

AYKAN A. C., GOKDENİZ T., GÜL İ., KALAYCIOĞLU E., Cetin M., HATEM E., KARABAY C. Y., GÜLER A., Aykan D. A., YILDIZ M.

Annual Meeting of the European-Society-of-Cardiology (ESC), Barcelona, İspanya, 30 Ağustos - 03 Eylül 2014, cilt.35, ss.860

- XXI. **A Simple Index to Predict Adverse Clinical Outcome Associated with Acute Myocardial Infarction in Primary PCI Era**  
AGAC M. T., Agac S., KORKMAZ L., TURAN T., BEKTAŞ H., AKYÜZ A. R., Cetin M., ERKAN H., Vatan B., CELİK S.  
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Türkiye, 26 - 29 Ekim 2013, cilt.62
- XXII. **Androgenic Alopecia is Associated with Increased Arterial Stiffness in Asymptomatic Young Adults**  
AGAC M. T., KORKMAZ L., Cetin M., TURAN T., AKYÜZ A. R., ERKAN H., Vatan B., Akdemir R., CELİK S.  
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Türkiye, 26 - 29 Ekim 2013, cilt.62
- XXIII. **Plasma Catestatin Concentration is Independently Correlated with High-Density Lipoprotein Cholesterol Levels in Untreated Hypertensive Patients**  
Durakoglugil M. E., AYAZ T., KOCAMAN S. A., KIRBAS A., DURAKOĞLUGİL T., Erdoğan T., Çetin M., Sahin O. Z., CİÇEK Y.  
29th Turkish Cardiology Congress of the Turkish-Society-of-Cardiology (TSC) with International Participation, Antalya, Türkiye, 26 - 29 Ekim 2013, cilt.62
- XXIV. **Predictive value of elevated cystatin C in patients undergoing primary angioplasty for ST elevation myocardial infarction**  
AKGÜL Ö., UYAREL H., PÜŞÜROĞLU H., GÜL M., ÇETİN M.  
EUROPEAN HEART JOURNAL, Amsterdam, Hollanda, 31 Ağustos - 04 Eylül 2013
- XXV. **Increased circulating soluble CD40 levels in patients with slow coronary flow phenomenon: an observational study.**  
DURAKOĞLUGİL M. E., KOCAMAN S. A., ÇETİN M., KIRBAŞ A., ÇANGA A., ERDOĞAN T., ÇİÇEK Y.  
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Türkiye, 21 - 24 Mart 2013, cilt.16, ss.25
- XXVI. **Increased pulse wave velocity and carotid intima-media thickness in patients with carpal tunnel syndrome**  
DURAKOĞLUGİL M. E., ÇİÇEK Y., KOCAMAN S. A., BALIK M. S., KIRBAŞ S., ÇETİN M., ERDOĞAN T., ÇANGA A.  
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Türkiye, 21 - 24 Mart 2013, cilt.16, ss.122
- XXVII. **Increased pulse wave velocity in patients with panic disorder: independent vascular influence of panic disorder on arterial stiffness.**  
ÇİÇEK Y., DURAKOĞLUGİL M. E., KOCAMAN S. A., GÜVELİ H., ÇETİN M., ERDOĞAN T., ÇANGA A.  
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Türkiye, 21 - 24 Mart 2013, cilt.16, ss.123
- XXVIII. **Increased plasminogen activator inhibitor-1 levels in patients with isolated coronary artery ectasia.**  
ÇİÇEK Y., DURAKOĞLUGİL M. E., ERDOĞAN T., YILMAZ A., UYDU H. A., ÇETİN M., ŞATIROĞLU Ö., TEMİZ A.  
9th International Congress of Update in Cardiology and Cardiovascular Surgery, Antalya, Türkiye, 21 - 24 Mart 2013, cilt.16, ss.27
- XXIX. **PREDICTIVE VALUE OF ELEVATED URIC ACID IN PATIENTS UNDERGOING PRIMARY ANGIOPLASTY FOR STEMI**  
AKGÜL O., UYAREL H., PUSUROĞLU H., TUREN S., SURGİT O., GÜL M., ERTÜRK M., BULUT U., BAYCAN O. F., Cetin M., et al.  
62nd Annual Scientific Session of the American-College-of-Cardiology, San-Francisco, Kostarika, 9 - 11 Mart 2013, cilt.61
- XXX. **The importance of fragmented QRS complexes in prediction of myocardial infarction and reperfusion parameters in patients undergoing primary percutaneous coronary intervention**  
KOCAMAN S. A., CETIN M., KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E., ŞATIROĞLU Ö., Sahinarslan A.,



ÇİÇEK Y., BOSTAN M.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.400

- XXXI. **The number of fragmented QRS predicts the low percent of ST segment resolution in patients with STEMI**

CETİN M., KOCAMAN S. A., KIRIS T., ERDOĞAN T., CANGA A., DURAKOĞLUGİL M. E., ÇİÇEK Y., DOĞAN S., ŞATIROĞLU Ö.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.146

- XXXII. **Fragmented QRS predicts postoperative atrial fibrillation (AF) in patients undergoing isolated coronary artery bypass graft surgery with no history of AF**

KOCAMAN S. A., CETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E., BOZOK S., CANGA A., TEMİZ A., ŞATIROĞLU Ö.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.374

- XXXIII. **Relationship between increased epicardial adipose tissue and ascending aortic dilatation**

KOCAMAN S. A., CANGA A., CETİN M., ERDOĞAN T., DURAKOĞLUGİL M. E., CİCEK M. E., UGURLU Y., ŞATIROĞLU Ö.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.79

- XXXIV. **Increased YKL-40 levels in patients with isolated coronary artery ectasia**

ERDOĞAN T., KOCAMAN S. A., CETİN M., KIRBAS A., DURAKOĞLUGİL M. E., CANGA A., YILMAZ A., CİCEK Y., DOĞAN S., BOSTAN M.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.786

- XXXV. **Relationship between leukocyte and subtype counts, low-grade inflammation and slow coronary flow phenomenon in patients with angiographically normal coronary arteries**

KOCAMAN S. A., CANGA A., CETİN M., DURAKOĞLUGİL M. E., ERDOĞAN T., ÇİÇEK Y., BOSTAN M.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.26

- XXXVI. **Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure**

ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E., Cetin M., TEMİZ A., UGURLU Y., CANGA A.

Congress of the European-Society-of-Cardiology (ESC), Munchen, Almanya, 25 - 29 Ağustos 2012, cilt.33, ss.898

- XXXVII. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total occlusion of unprotected left main coronary artery without supportive collateral flow.**

ÇETİN M., KOCAMAN S. A., BOSTAN M., ERDOĞAN T., ŞATIROĞLU Ö.

27. Ulusal Kardiyoloji Kongresi, İstanbul, Türkiye, 27 - 30 Ekim 2011

- XXXVIII. **Red blood cell distribution width (RDW) and its association with coronary atherosclerotic burden in patients with stable angina pectoris.**

ÇETİN M., KOCAMAN S. A., CANGA A., ÇİÇEK Y., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRIŞ T., TEMİZ A., et al.

27. Ulusal Kardiyoloji Kongresi, Türkiye, 27 - 30 Ekim 2011

- XXXIX. **Increased plasminogen activator inhibitor I level in patients with isolated coronary artery ectasia**

ÇETİN M., ÇİÇEK Y., ERDOĞAN T., DURAKOĞLUGİL M. E.

27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.128

- XL. **Relationship between leukocyte and subtype counts and slow coronary flow phenomenon.**

CANGA A., KOCAMAN S. A., KESKİN G., ÇETİN M., ÇİÇEK Y., BOSTAN M.

27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.1

- XLI. **The treatment by primary percutaneous coronary intervention of a patient with cardiogenic shock and extensive anterior STEMI due to acute total**

ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.

27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.327

- XLII. **Fragmented QRS and its association with the poor prognostic factors in acute coronary syndromes**

ÇETİN M., KOCAMAN S. A., TEMİZ A., ŞATIROĞLU Ö., ERDOĞAN T., CANGA A., AKGÜL Ö., BOSTAN M., KIRIŞ T., ÇİÇEK Y., et al.

27. Ulusal Kardiyoloji Kongresi, Türkiye, 27 - 30 Ekim 2011

- XLIII. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**  
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.  
27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.139
- XLIV. **Relationship of fragmented QRS complex with inadequate coronary collaterals in patients with Chronic total occlusion**  
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.  
27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.223
- XLV. **The relationship of the fragmented QRS (fQRS) complex with low-grade inflammation, abdominal obesity and the prolonged QRS time as well as coronary atherosclerotic burden independent of left ventricular systolic dysfunction**  
ÇETİN M., KOCAMAN S. A., ÇİÇEK Y., ÇANGA A., ERDOĞAN T., ŞATIROĞLU Ö., BOSTAN M., AKGÜL Ö., KIRIŞ T., TEMİZ A., et al.  
27. Ulusal Kardiyoloji Kongresi, Türkiye, 27 - 30 Ekim 2011
- XLVI. **Relationship of fragmented QRS (fQRS) complex with worse prognostic markers and in-hospital major adverse cardiovascular events (MACE) in patients undergoing coronary artery bypass graft (CABG) surgery**  
ÇETİN M., ERDOĞAN T., DURAKOĞLUGİL M. E., ÇİÇEK Y.  
27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 Ekim - 30 Kasım 2011, ss.87
- XLVII. **Comparision of inflammatory biomarkers for detection of coronary stenosis in patients with stable coronary artery disease**  
BOSTAN M., UYDU H. A., YILMAZ A., DEMİR A., ATA M., ŞATIROĞLU Ö., TEMİZ A., ÇİÇEK Y., ERDOĞAN T., ÇETİN M., et al.  
27. Ulusal Kardiyoloji Kongresi, İstanbul, Türkiye, 27 - 30 Ekim 2011
- XLVIII. **Fragmented QRS (fQRS) in ST elevated myocardial infarction (STEMI) and its association with the infarct and myocardial perfusion parameters in patients undergoing primary percutaneous intervention**  
KOCAMAN S. A., ÇETİN M., KIRIŞ T., ERDOĞAN T., ÇANGA A., ŞAHİNARSLAN A., ŞATIROĞLU Ö., TEMİZ A., BOSTAN M., ÇİÇEK Y.  
27. Ulusal Kardiyoloji Kongresi, İstanbul, Türkiye, 27 - 30 Ekim 2011
- XLIX. **Increased serum bilirubin level is related to good collateral development in patients with chronic total coronary occlusion**  
ÇETİN M., ERDOĞAN T., ÇİÇEK Y., DURAKOĞLUGİL M. E.  
27. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 27 - 30 Ekim 2011, ss.224
- L. **Dev Ruptüre olmamış Gerçek Sakkuler Çıkan Aort Anevrizması**  
ÇETİN M., ŞATIROĞLU Ö., KOCAMAN S. A., ÇİÇEK Y., BOSTAN M.  
26. Ulusal Kardiyoloji Kongresi, İstanbul, Türkiye, 21 Ekim 2010 - 26 Ekim 2011
- LI. **kut ST yu"kselmeli miyokard enfarktu"su" nedeniyle primer koroner girişim sonrası metabolik sendromun no-reflow u"zerine etkisi.**  
Tartan Z., Uyarel H., Kas, ıkc,ıog"lu H., ÇETİN M.  
22. Ulusal Kardiyoloji Kongresi, Antalya, Türkiye, 25 - 27 Kasım 2006, ss.1

## **Bilimsel Hakemlikler**

PACE-PACING AND CLINICAL ELECTROPHYSIOLOGY, SCI Kapsamındaki Dergi, Aralık 2020

TURKISH JOURNAL OF MEDICAL SCIENCES, SCI-E Kapsamındaki Dergi, Ağustos 2020

TÜBİTAK Projesi, 1001 - Bilimsel ve Teknolojik Araştırma Projelerini Destekleme Programı, NOBEL İLAC, Türkiye, Ocak 2014

## Metrikler

Yayın: 197

Atıf (WoS): 847

Atıf (Scopus): 913

H-İndeks (WoS): 15

H-İndeks (Scopus): 16

## Akademi Dışı Deneyim

Diğer Kamu Kurumu, Trabzon Ahi Evren Göğüs Kalp Damar Cerrahisi Merkezi, Kardiyoloji

Diğer Kamu Kurumu, Rize Eğitim Araştırma Hastanesi, Dahili Tıp Bilimleri

Diğer Kamu Kurumu, Elazığ Askeri Hastanesi